





Liugong 950E



£POA

With X-shaped frame built from high strength tensile steel, the 950E's undercarriage is designed to withstand the toughest conditions. Continuous digging, lifting and loading can put excessive stress on machines. The 950E has a long track beam and crawler system that guarantees greater stability. The structure also helps protect key components such as the travel motor from undue stress.

The undercarriage components are tougher too. Heavy duty rollers, reinforced idler frame and optional full track guard guarantee the integrity of our undercarriage. It's this core strength that

Product Details

Category/Type	Excavators
Make	Liugong
Model	950E
Year	47,000-49,800 kg
Hours	282 kW

Protection System) and FOPS (Falling Object Protection System) safeguard your most important asset. your operator in the toughest environment. Visibility is key to protecting your operator and workers on site. The large glass surface area, spacious cab, combined with the rear-view camera, provides an extraordinary view of the 950E's surroundings.

The 950E features a tougher, reinforced heavy duty boom and arm built from high-strength tensile steel, with castings and forgings in high-stress areas for heavy-duty performance and maximum uptime. We also use over-sized pins to allow the 950E, not just to work harder, but to work harder

Capital Valley Industrial Park Rhymney, Gwent, NP22 5PT

Tel: +44 (0)1685 841449

www.kjequipment.co.uk info@kjequipment.co.uk